SP

	Application No.	Applicant(s)
Notice of Allowability	10/051,927	BOTTOM, KENNETH H.
	Examiner	Art Unit
	Mohammad Ali	3744
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendmends filed 10/03/05</u> .		
2. The allowed claim(s) is/are <u>1-14.</u>		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the: <ol> <li>Certified copies of the priority documents have been received.</li> <li>Certified copies of the priority documents have been received in Application No.</li> <li>Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ol> </li> <li>* Certified copies not received:</li> </ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
<ul> <li>5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> </ul>		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Dat 08), 7. ☐ Examiner's Amendr	e

Art Unit: 3744

## Response to Arguments

Applicant's arguments, see pages 8-15, filed 10/03/05, with respect to claims 1-14 have been fully considered and are persuasive. The rejections of 04/01/05 have been withdrawn.

## Allowable Subject Matter

The following is an examiner's statement of reasons for allowance: Claims 1, 13 and 14 are allowable because the prior art of record fails to disclose or suggest or teach the recited side wall of the cabinet comprising an outer wall, an inner wall separated from the outer wall by a space, and a plurality of vertically oriented partitions disposed between the inner and the outer walls, the partitions being spaced from one another and being in intimate contact with the inner and outer side walls, so that the inner and outer side walls define, with the partitions, air flow channels (see claim 1 and 13); at least two substantially airtight volumes defined by a sidewall and a second interior wall substantially parallel to the side wall, each of the sidewall and the interior wall extending along the height of the stored product to define a pressurized volume; wherein further each of the pressurized volume is further divided internally into at least two separate pressurized volumes isolated from each other and each communicating with the output of a source of air whereby each internal pressurized volume provided air flow to a separate level of the stacked boxes (see claim 14).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably Application/Control Number: 10/051,927

Art Unit: 3744

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Page 3

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mohammad Ali whose telephone number is (571) 272-4806. The examiner can normally be reached on Monday to Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Melba Bumgarner can be reached on (571) 272-4709. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Mohammad M. Ali October 26, 2005

Nd. Moherable